NK

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE ASM

Address 5th Cg.
Telecom Lo
Blr

GSTIN :

BILL No. **YNK/17/** 05552

DATE : 23/11/17 TIME : 3.55 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3ph CS2H173	01	1466.62	1466.	62

BESCOM DVN : CS	CGST @ 9%	132. 60
W.O. No. W- 24968 Date 15/11/17	SGST @ 9%	132. 60
Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty . Sixty Seven Ps	**GRAND TOTAL**	1730. 62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

ಬೆಸ್ಕಾಂ

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

C8 SAHAKARANAGARA

YG

6501239

ಕಛೇರಿ ಮೊಹರು

Receipt Number	122150152255
Reciept Date	23-08-2017 12:16:51
Cash Counter	BESCOM - C8 SDO Cash Counter
Payor Account ID	1221501185
Person Name	AEE BBMP
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

One Hundred Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

ಬೆಸ್ಕಾಂ

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

C8 SAHAKARANAGARA

YD

6299611

ಕಛೇರಿ ಮೊಹರು

Receipt Number	122150171604
Reciept Date	14-11-2017 15:16:07
Cash Counter	BESCOM - C8 SDO Cash Counter
Payor Account ID	1221501185
Person Name	AEE BBMP
RR Number	
Total Payment	Rs12,240.00
Mode of pay	Draft
Cheque /DD No	016879
Bank Name	VIB
Purpose	Deposits
Non Revenue category	2MMD-FEE

Twelve Thousand Two Hundred Forty Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE ABMP

Address Ayarahalli W
Yln
BLR

GSTIN :

BILL No. **YNK/17/** 05551

DATE : 23/11/17 TIME : 3.58 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3phase CS24172	01	1466.67	1466.	67

BESCOM DVN : C8	CGST @ 9%	132.	00
W.O. No. W-24971 Date 15/11/17	SGST @ 9%	132.	00
Total Invoice Value (In Words) : One Thousand Seven hundred Thirty. Sixty Seven Ps	**GRAND TOTAL**	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

C8 SAHAKARANAGARA

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

BESCOM

YD 6299610

Receipt Number	076466766681
Reciept Date	14-11-2017 15:16:07
Cash Counter	BESCOM - C8 SDO Cash Counter
Payor Account ID	0764667997
Person Name	AEE BBMP
RR Number	
Total Payment	Rs12,240.00
Mode of pay	Draft
Cheque /DD No	016879
Bank Name	VIB
Purpose	Deposits
Non Revenue category	2MMD-FEE

ಕಛೇರಿ ಮೊಹರು

Twelve Thousand Two Hundred Forty Rupees Only

Manu Enterprises

THANK YOU

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

C8 SAHAKARANAGARA

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

BESCOM

YG 0004298

Receipt Number	076466703652
Reciept Date	23-08-2017 12:16:51
Cash Counter	BESCOM - C8 SDO Cash Counter
Payor Account ID	0764667997
Person Name	AEE BBMP
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

ಕಛೇರಿ ಮೊಹರು

One Hundred Rupees Only

Manu Enterprises

THANK YOU

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BBMP.

Address 17th Cy. Agrahara Ho BLR

GSTIN :

BILL No. **YNK/17/** 05554

DATE : 23/11/17 TIME : 4.05 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3Phase CS24175	01	1466.67	1466.	67

BESCOM DVN : CS	CGST @ 9%	132.	4
W.O. No. Cy-24970 Date 15/11/17	SGST @ 9%	132.	4
Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty Sixty Seven Ps	**GRAND TOTAL**	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

ಬೆಸ್ಕಂ

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

C8 SAHAKARANAGARA

ಕಛೇರಿ ಮೊಹರು

YD

6299612

Receipt Number	330356649398
Reciept Date	14-11-2017 15:16:07
Cash Counter	BESCOM - C8 SDO Cash Counter
Payor Account ID	3303566763
Person Name	AEE BBMP
RR Number	
Total Payment	Rs12,240.00
Mode of pay	Draft
Cheque /DD No	016879
Bank Name	VIB
Purpose	Deposits
Non Revenue category	2MMD-FEE

Twelve Thousand Two Hundred Forty Rupees Only

---------- THANK YOU ----------

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

ಬೆಸ್ಕಂ

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

C8 SAHAKARANAGARA

ಕಛೇರಿ ಮೊಹರು

YG

6501300

Receipt Number	330356686939
Reciept Date	23-08-2017 12:16:51
Cash Counter	BESCOM - C8 SDO Cash Counter
Payor Account ID	3303566763
Person Name	AEE BBMP
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

One Hundred Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 487 Date : _____

1. Customer's Name and Address : AEE BBMP
   with Telephone No. Byatarayanapura Sub division
   Yalahanka zone.
2. Well Location : Agrahara Layout 17th cross.
3. Total Well Depth / Drilled in Ft. : 1135 feet.
4. Casing Erected in Ft. : 228 feet.
5. Water Struck at the Depth of : 690' 810' 990' 1100'
6. Total Yield (Measuring method "V" Norch : 2½ inch / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear clear
8. At the Depth of : 1000'
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : ARE BBMP
Byatarayanapura Sub Div

b) Location of the Site : Agrahara Layout
17th Cross

c) Area of the land : Agrahara

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss and Schist

2) Recommended Site for drilling : No 5
3) Total depth to be drilled : 980' - 1100'
4) Approx. casing pipe required : 170' - 220'
5) No. of water bearing Zones : - 4 -
6) No. of favourable spots marked : - 8 -
7) Qty. of water expected : 2 inch
8) Method of survey carried out : Recommended.
9) Remarks : 6/12' dia Borewell

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : Terms & Conditions

BOREWELL SITE PLAN



BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 486

Date : _____

1. Customer's Name and Address with Telephone No. : AEE BBMP
Byatarayanapura Sub Division
Yelahanka Zone.

2. Well Location : Telecom Layout 5th Main

3. Total Well Depth / Drilled in Ft. : 1146' feet. (New Bore)

4. Casing Erected in Ft. : 225 feet

5. Water Struck at the Depth of : 670'- 810'. 920' 1100'

6. Total Yield (Measuring method "V" Norch : 2 inch / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Clear

8. At the Depth of : 1100'

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : AEE BBMP. Bratara Yendine

b) Location of the Site : Telecom Layout 5th Cross

c) Area of the land : Sampigeerary

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : gneiss — Shear zone

2) Recommended Site for drilling : WS 1020' - 1100'

3) Total depth to be drilled : 175' - 220'

4) Approx. casing pipe required :

5) No. of water bearing Zones : 4

6) No. of favourable spots marked : 8

7) Qty. of water expected : Lower

8) Method of survey carried out : Electrical resistivity method.

9) Remarks : 6" dia proposed

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : *Terms & Conditions*

BOREWELL SITE PLAN



BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 488 Date : _____

1. Customer's Name and Address : AEE BBMP
   with Telephone No. Byatarayanapura Sub Div
   Yelahanka Zone.
2. Well Location : Kempegowda Main Road
3. Total Well Depth / Drilled in Ft. : 1128 feet
4. Casing Erected in Ft. : 239 feet
5. Water Struck at the Depth of : 670 —
6. Total Yield (Measuring method "V" Norch : — / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear —
8. At the Depth of : —
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : ARE BBMP

b) Location of the Site : Byatarayanapura Sub division
Yelahanka Zone.

c) Area of the land : Kempegowda Main Road

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Geology

2) Recommended Site for drilling : as s

3) Total depth to be drilled : 1010' - 1100'

4) Approx. casing pipe required : 160' - 230'

5) No. of water bearing Zones : — 4 —

6) No. of favourable spots marked : — 7 —

7) Qty. of water expected : 1½ inch

8) Method of survey carried out : Geophysical method.

9) Remarks : 6/12' dia Borewell

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : *Terms & Conditions*

BOREWELL SITE PLAN



BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 485 Date : _____

1. Customer's Name and Address with Telephone No. : AEE Byatarayanappa BBMP Yelahanka zone. Sub division

2. Well Location : Jayasurya Colony Agrahara Village

3. Total Well Depth / Drilled in Ft. : 1146 feet

4. Casing Erected in Ft. : 231 feet

5. Water Struck at the Depth of : 670' 820' 920' 1100'

6. Total Yield (Measuring method "V" Norch : 2 inch / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear clear

8. At the Depth of : 1100'

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

GR

Party's Signature

~~Manager~~ / Proprietor

GROUND WATER SURVEY REPORT

OPEN WELL/ BOREWELL
DATA OF SURVEY

a) Name of the Party : ARE BBMP Byatarayanapura

b) Location of the Site : Jayasurya Layout

c) Area of the land : Agrahara village

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Gneiss granite min

2) Recommended Site for drilling : WS

3) Total depth to be drilled : 1020' - 1110'

4) Approx. casing pipe required : 180' - 225'

5) No. of water bearing Zones : 4

6) No. of favourable spots marked : 8

7) Qty. of water expected : 2 liters

8) Method of survey carried out : Dowsing method

9) Remarks : 6/12" dia Borewell

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

P.T.O. : *Terms & Conditions*

BOREWELL SITE PLAN



ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) ..... AEE BJMP .....

ಅರ್ಜಿ ಸಂಖ್ಯೆ ..... ಅಂದಾಜು ಸಂಖ್ಯೆ SR452

ಪ್ರಮಾಣ UG/15HPX01NO ದಿನಾಂಕ 5/09/2013

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕುಪಟ್ಟಿ ಸಂ. ಮತ್ತು ದಿನಾಂಕ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಅಂಪ್ಸ್ ಮಾಪಕ 3 ಫೇಸ್ 3X5/30A ಅಂಪ್ಸ್			2500X01	2500=00
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಕ್ಕಾಗಿ ಏರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ				
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)			Misc	500=00
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು			ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000	
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ				
೬.	ಒಟ್ಟು ಮೊತ್ತ			Total=	3000=00

ಸಂಪರ್ಕ ವಿಧಾನ		ಪರಾ
(ಅ)	ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ	☑ Proposed 16LU U/G
(ಆ)	ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ	☑ Can take up the load
(ಇ)	ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☒ Safely Sahakar Nagar
(ಈ)	ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☑ MUSS Fly Feeder
(ಉ)	ರಸ್ತೆ/ಪಾದಾಚಾರಿ ರಸ್ತೆ ಅಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ	☐ 1X200 KVA TC NO:
	ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ	.....

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದನ್ನು ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. 3X5/30A ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ 16LU 5m ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವರಿ UG/15HP X1 ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮೊಹರ್)

೧. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಗಾತ್ರದ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಸೀಲಬಲ್ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯುಕ್ತ ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೨. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆಕ್ಕಕ್ಕೆ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಟ್ಯಾಂಪು

ಬಳಕೆದಾರರ ಸಹಿ

ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

Shri Coals Telecom layout

..... ಅವರ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

Near Park Telecom C/o

Srirampura (V) YNL (P)

Bangalore

ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

೧. ಭದ್ರತಾ ಠೇವಣಿ ರೂ. 12 240 | - ರಶೀದಿ ಸಂಖ್ಯೆ 122150171604 / 14/11/17 ದಿನಾಂಕ .....

೨. ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ .....

೩. ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ .....

ಮಂಜೂರಾಗಿರುವುದು ರೂ. (ಅ) ..... (ವಿತರಣಾ ಮಾರ್ಗ) + ರೂ. (ಆ) .....

ಒಟ್ಟು ರೂ. 3000/-

ಕಾರ್ಯಾದೇಶ ಸಂಖ್ಯೆ AEE/18/17-18/14 4007 / W-24968 ದಿನಾಂಕ 15/11/17

ಬಡ್ಜೆಟ್ "14,400-ಸಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.-ಸೇವಾ ಸಂಪರ್ಕಗಳು"

ಸಹಾಯಕ ಇಂಜಿನಿಯರು (ತಾಂತ್ರಿಕ) / ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿ)(ತಾಂತ್ರಿಕ)

ದಿನಾಂಕ ..... ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿ.)

Asst Executive Engineer (Ele)

ದಿನಾಂಕ ..... M.C.8 Sub Division, BESCOM

Sankamagar, Bangalore-560 092

ಬೆಸ್ಕಾಂ, ಬೆಂಗಳೂರು

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ

ಸಂಪರ್ಕ ದಿನಾಂಕ ..... ಆರ್. ಆರ್. ಸಂಖ್ಯೆ C8P728

22/12/17

ಇರುವುದು/ಹೊಸದು

ಸಂಪರ್ಕ ವಿಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್

ಒಟ್ಟು ಉದ್ದ .....

ವೆಚ್ಚ ರೂ. ..... (ಅ)

ಅನುಮೋದಿನ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಕಿರಿಯ ಅಭಿಯಂತರರು (ವಿ)

ಬೆ.ಮ.ಕಂ.ನಿ. ಕಾ ಮತ್ತು ಪಾ ಘಟಕ 20

ಬೆಂಗಳೂರು. ಸಿ-8 ಉಪವಿಭಾಗ

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಖಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ .....

೨. ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....

೩. ಮೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....

ಮೊಬಲಗು ರೂ. .....

೪. ಮಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. .....

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....

(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಅ)

ಮತ್ತು ರೂ. .....

(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಆ)

ಒಟ್ಟು ರೂ. ..... (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ .....

ಅವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ

ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) ACE BMP

ಅರ್ಜಿ ಸಂಖ್ಯೆ ..... ಅಂದಾಜು ಸಂಖ್ಯೆ SR-451

ಪ್ರಮಾಣ UG/15HPX01 NO ದಿನಾಂಕ 05/09/2019

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕುಪಟ್ಟ ಸಂ. ಮತ್ತು ದಿನಾಂಕ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಆಂಪ್ಸ್ ಮಾಪಕ 3 ಫೇಸ್ 3x63A ಆಂಪ್ಸ್			2500x01	2500=00
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಕ್ಕಾಗಿ ವಿರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ				
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)			MU	500=00
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು			ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000	
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ				
೬.	ಒಟ್ಟು ಮೊತ್ತ				Total = 3000=00

ಸಂಪರ್ಕ ವಿಧಾನ		ಷರಾ
(ಅ)	ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ	[x] Proposed 16U UGC
(ಆ)	ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ	[/] can take up 16
(ಇ)	ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	[x] load Safety Solu
(ಈ)	ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	[/] Nogo MUSS Fu
(ಉ)	ರಸ್ತೆ/ಪಾದಾಚಾರಿ ರಸ್ತೆ ಆಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ	[ ]	Feeder 1x KUA

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದನ್ನು ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. 3x63A ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ 16U Exp ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವರಿ UG/15HPX01 NO ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮೊಹರ್)

೧. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಗಾತ್ರದ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಸೀಲಬಲ್ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯುಕ್ತ ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೨. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆಕ್ಕಕ್ಕೆ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಟ್ಯಾಂಪು

ಬಳಕೆದಾರರ ಸಹಿ

...ದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

...Agrahara (V) ಅವರ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

Jayalakshmi Nagar Yelahanka I/B Line

ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

ಭದ್ರತಾ ಠೇವಣಿ ರೂ. 12,200/- ರಶೀದಿ ಸಂಖ್ಯೆ 0236466766681 ದಿನಾಂಕ 14/11/17

ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ .....

ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ .....

ಮಂಜೂರಾಗಿರುವುದು ರೂ. (ಅ) ..... (ವಿತರಣಾ ಮಾರ್ಗ) + ರೂ. (ಆ) .....

ಒಟ್ಟು ರೂ. 3,000/-

ಕಾರ್ಯಾದೇಶ ಸಂಖ್ಯೆ AEE/B.1.8/22.400 ದಿನಾಂಕ 15-11-17

ಬಡ್ಜೆಟ್ "14,400-ಸಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.-ಸೇವಾ ಸಂಪರ್ಕಗಳು"

15/11/17

...ಾಯಕ ಇಂಜಿನಿಯರು (ತಾಂತ್ರಿಕ)

...ಾಯಕ ಇಂಜಿನಿಯರ್ (ವಿ)(ತಾಂತ್ರಿಕ)

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿ)

ದಿನಾಂಕ

Asst. Executive Engineer (Elig)
O&M C8 Sub-Division, BESCOM
Sahakarnagar, Bangalore-560 092

...ಿ-8 ಉಪವಿಭಾಗ, ಸಹಕಾರನಗರ.
ಬೆಸ್ಕಾಂ, ಬೆಂಗಳೂರು

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ

...ಪರ್ಕ ದಿನಾಂಕ .....

ಆರ್. ಆರ್. ಸಂಖ್ಯೆ C8P 730

22/12/17

...ರುವುದು/ಹೊಸದು

...ಪರ್ಕ ವಿಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್

...ಟ್ಟು ಉದ್ದ .....

...ಚ್ಚ ರೂ. ..... (ಅ)

...ನುಮೋದಿನ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಕಿರಿಯ ಅಭಿಯಂತರರು (ವ)
ಶಾಖಾಧಿಕಾರಿ
ಬೆ.ಮ.ಕಂ. ಕಾ ಮತ್ತು ಪಾ ಘಟಕ 20ವಿ
ಬೆಸ್ಕಾಂ ವಿಭಾಗ ಬೆಂಗಳೂರು

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

...ಖಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ .....

...ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....

...ಮೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....
ಮೊಬಲಗು ರೂ. .....

...ಮಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. .....

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....
(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಅ)
ಮತ್ತು ರೂ. .....
(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಆ)

ಒಟ್ಟು ರೂ. ..... (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ .....
ಅವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ
ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) .....

ಅರ್ಜಿ ಸಂಖ್ಯೆ ..... ಅಂದಾಜು ಸಂಖ್ಯೆ SR-454

ಪ್ರಮಾಣ LT&I 15HPX01 NO ದಿನಾಂಕ 05/09/2017

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕುಪಟ್ಟಿ ಸಂ. ಮತ್ತು ದಿನಾಂಕ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಅಂಪ್ಸ್ ಮಾಪಕ 3 ಫೇಸ್ 3×63OA ಅಂಪ್ಸ್			2500×01	2500=00
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಕ್ಕಾಗಿ ಏರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ				
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)			NIL	500=00
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು			ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000	
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ				
೬.	ಒಟ್ಟು ಮೊತ್ತ				Total: 3000=00

ಸಂಪರ್ಕ ವಿಧಾನ		ಪರಾ
(ಅ) ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ	☒	proposed 16LU UG
(ಆ) ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ	☐	can take up this load
(ಇ) ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☒	Safely MUSS CLU
(ಈ) ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☐	Feeder
(ಉ) ರಸ್ತೆ/ಪಾದಾಚಾರಿ ರಸ್ತೆ ಅಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ	☐	1×250 KVA TCNB
ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ		

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದನ್ನು ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ 16US ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವರಿ NOIN ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮೊಹರ್)

೧. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಗಾತ್ರದ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಸೀಲಬಲ್ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯುಕ್ತ ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೨. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆಕ್ಕಕ್ಕೆ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಟ್ಯಾಂಪು

ಬಳಕೆದಾರರ ಸಹಿ

ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

17 Gali Agrahara 46 ತೆರೆದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

ಭದ್ರತಾ ಠೇವಣಿ ರೂ. 12240/- ರಶೀದಿ ಸಂಖ್ಯೆ 33035649398 ದಿನಾಂಕ .....

ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... 14/11/17 ದಿನಾಂಕ .....

ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ .....

ಮಂಜೂರಾಗಿರುವುದು ರೂ. (ಅ) ..... (ವಿತರಣಾ ಮಾರ್ಗ) + ರೂ. (ಆ) .....

ಒಟ್ಟು ರೂ. 3000/-

ಕಾರ್ಯಾದೇಶ ಸಂಖ್ಯೆ ACEL/13/17/18/14400 ದಿನಾಂಕ 12-24970 15/11/17

ಬಡ್ಜೆಟ್ "14,400-ಸಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.-ಸೇವಾ ಸಂಪರ್ಕಗಳು"

ಸಹಾಯಕ ಇಂಜಿನಿಯರು (ತಾಂತ್ರಿಕ)

ದಿನಾಂಕ .....

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿ.)

ದಿನಾಂಕ .....

Assistant Executive Engineer (Ele)
C&M C8 Sub-Division
BESCOM

ಸಹಾಯಕ ಅಭಿಯಂತರರು (ವಿ) (ತಾಂತ್ರಿಕ)

ಸಿ-8 ಉಪವಿಭಾಗ. ಸದಾಶಿವನಗರ. ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ C8P727

ಪರ್ಕ ದಿನಾಂಕ ಬೆಸ್ಕಾಂ, ಬೆಂಗಳೂರು ಆರ್. ಆರ್. ಸಂಖ್ಯೆ 22/12/17

ರುವುದು/ಹೊಸದು

ಪರ್ಕ ವಿಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್

ಟ್ಟು ಉದ್ದ .....

ಟ್ಟ ರೂ. ..... (ಅ)

ಮೋದಿನ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಕಿರಿಯ ಅಭಿಯಂತರರು (ವಿ)
ಬೆ.ವಿ.ಕಂ. ಕಾ ಮತ್ತು ಪಾ ಘಟಕ 20ನೆ
ಜಕ್ಕೂರು. ಸಿ-8 ಶಾಖಾಧಿಕಾರಿ ಬೆಂಗಳೂರು

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

ಖಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ .....

ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....

ಮೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....

ಮೊಬಲಗು ರೂ. .....

ಮಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. .....

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....

(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಅ)

ಮತ್ತು ರೂ. .....

(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಆ)

ಒಟ್ಟು ರೂ. ..... (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ .....

ಅವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ

ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ